

PATENT

FIHE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

Zhongyi LI et al.

Group Art Unit: 1638

Serial No. 09/508,377

Examiner: Stuart Baum

Filed: June 9, 2000

Attorney Docket No: 017227-0195

For: REGULATION OF GENE EXPRESSION IN PLANTS

DECLARATION UNDER 37 C.F.R. § 1.132

I, Sadequr Rahman, declare:

- 1. That my professional training and experience are documented in the abridged curriculum vitae that is attached as Exhibit 1. I have a Ph.D. in Biochemistry from the University of London, UK, awarded in 1983. My Ph.D. dissertation is titled "The synthesis of seed storage proteins in barley."
- 2. I am employed now as a Principal Research Scientist by the Commonwealth Scientific and Industrial Research Organization, which is located in Canberra, Australian Capital Territory, Australia. My employment history is documented in Exhibit 1. I have researched starch biosynthesis for the past twelve years.
- 3. I am named as an inventor in the above-captioned application ("the application").
- 4. I have considered and believe that I understand the Examiner Telephone Interview of February 10, 2004, the Advisory Action of December 17, 2003, the specification of the application, and pending claims 48-68.
- 5. The aforementioned Advisory Action does not address what I understand to be the PTO's standard for "hybridization language." During a February 10th telephone interview, however, the examiner indicated, I am told, that the pending claims do not meet that standard.
- 6. In relevant part, claim 48 recites "a nucleotide sequence which hybridizes to the SBE II-DI gene having the nucleotide sequence shown in SEQ ID NO: 10." According to the examiner, I understand, the recitation of a genus encompassing "a nucleotide sequence which hybridizes to SEQ ID NO: X" requires several specific examples of nucleotide sequences that so hybridize.
- 7. The application provides at least two examples of nucleotide sequences that hybridize to the SBE II-D1 gene:
 - (A) Example 13 (page 36) details isolation of a SBE II gene, represented by clone SBE-9, that encodes the amino acid sequence of SEQ ID NO:12. A cDNA clone having about 97% sequence identity with the coding region

Serial No. 09/508,377

- of SEQ ID NO:10, SBE-9 was shown to have SBE activity by Rahman et al. (2001), where the clone is designated cDNA1. Exhibit 2 is a copy of latter publication.
- (B) Example 14 (page 37) states "sequencing of the SBE II gene contained in clone 2, termed SBE II-D1 (see SEQ ID NO: 10), showed that it coded for the N-terminal sequence of the major isoform of SBE II expressed in the wheat endosperm, as identified by Morell et al. (1997). This is shown in Figure 13." A copy of Morell et al. (1997) is attached as Exhibit 3.
- 8. Based on the examples in the application, a person knowledgeable in plant molecular biology would have understood that the SBE II-D1 gene (SEQ ID NO:10) codes for the functional starch branching enzyme described by Morell et al. (1997), and that the SBE-9 clone (SEQ ID NO:12) is closely related in sequence to the SBE II-D1 gene.
- 9. In addition to the examples of the application, I or others working under my supervision have isolated other nucleotide sequences from wheat, coding for starch branching-enzyme II activity, that hybridize to the SBE II-D1 gene according to the teaching of the application. Using the SBE-9 gene as a probe, we have identified ten cDNA sequences from a wheat library (variety Rosella), all of which hybridize to the SBE II-D1 gene under stringency conditions similar to those detailed in the examples mentioned in paragraph 7, above. The ten cDNA clones each contained in the range 2000-2500 nucleotides of wheat cDNA. corresponding to the majority of the coding region to near full-length cDNAs for wheat SBE II. Sequence analysis showed that all ten clones contained cDNA sequences that were at least 97% identical to the coding region of the SBE II-D1 gene (SEQ ID NO:10) and that all ten clones were in the same size class with respect to translation as SBE-9. Furthermore, we similarly constructed a cDNA library from wheat variety Wyuna and isolated at least two cDNA clones encoding SBE activity by hybridisation to an SBE-9 probe. By nucleotide sequence analysis, two of the clones were shown to encode proteins having the same Nterminus as the functional SBE II enzyme reported by Morell et al. (1997). Although these two clones were not sequenced in their entirety, I believe that they represent cDNAs encoding functional SBE II enzymes, based on the close similarity of the sequenced regions to the SBE II-DI gene and the identity of the obtained amino acid sequences to the corresponding regions of functional SBE II from wheat.
- 10. I declare that all statements made herein on my knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardise the validity of the application or any patent issuing thereon.

12.03.04.

Date

Sadegur Rahman



CURRICULUM VITAE

Name:

Sadequr Rahman.

Date/Place of Birth:

7.9.57.

Nationality:

Australian/Bangladeshi.

Academic Record

1979 B.A., University of Cambridge, UK. Major in Biochemistry.

1983 Ph.D., University of London, UK. Thesis entitled: "The synthesis of seed storage proteins in barley"

MRC Post-doctoral fellow with Prof. Byron G. Lane, Department of Biochemistry, University of Toronto, Canada. Research focus The molecular characterisation of Germin.

Tolomo, camera strong and strong

Employment Record:

1986	Appointed Assistant Professor, Department of Biochemistry, University of Dhaka, Bangladesh.
	Research work was concerned with protein breakdown in germinating rice seeds and molecular
F	analysis of Shigella., a common cause of gastro-intestinal disease in Bangaldesh.
1988	Appointed Research Scientist, CSIRO Wheat Research Unit, North Ryde Research area.
	Characterisation of grain softness protein.
1990	Appointed Senior Research Scientist.
1992	Transferred to Canberra to initiate work on starch biosynthesis.
1994	Department of Science, Industry and Trade fellowship to spend three months in Dr. Peter Shewry's
	laboratory to initiate immuno-screening of expression libraries.
2000	Science and Technology Fellowship, Japan to spend six weeks on transforming rice with wheat large
	insert clone for isoamylase in Dr. Yasunori Nakamura's laboratory.
2000	Japan Society for the Promotion of Science fellowship to spend eight weeks on detecting wheat genes
	in rice and wheat by fluorescent in situ hybridisation in Prof. Yasuhiko Mukai's laboratory.
2000	Appointed Principal Research Scientist and Sub-Program Leader, supervising about 20 staff.

Invited Speaker at National and International Symposia (1985 -):

1998	4th Asia Pacfic Conference on Agricultural Biotechnology. Darwin. Chairman of session on Starch.
1998	9th NIAR/COE International Symposium. Tokyo. 'Frontier Research of Plant Genome Functions.'
.,,,	The structure of genes involved in starch biosynthesis in wheat.'
2001	American Association of Cereal Chemists. (Could not attend).
2002.	Combio Conference, Sydney.



PUBLICATIONS LIST S.RAHMAN

- 1. Rahman, S., Shewry, P.R. and Miflin, B.J. 1982. Differential protein accumulation during barley grain development. *J.Exp.Bot.* 33, 717-728.
- 2. Kreis, M., Rahman, S., Forde, B.G., Shewry, P.R. and Miflin, B.J. 1983. Sub-families of hordein mRNA encoded at the Hor-2 locus of barley. *Mol. Gen. Genet.* 191, 194-200.
- 3. Kreis, M., Shewry, P.R., Forde, B.G., Rahman, S. and Miflin, B.J. 1983.

 Molecular analysis of a mutation conferring the high-lysine phenotype in developing grain of barley.

 Cell 34, 161-167.
- 4. Rahman, S., Kreis, M., Forde, B.G., Shewry, P.R. and Miflin, B.J. 1983 Nutritional control of storage protein synthesis in developing grain of barley. *Planta* 159, 366-372.
- Miflin, B.J., Rahman, S., Kreis, M., Forde, B.G., Blanco, L. and Shewry. P. 1983.
 The hordeins of barley: a developmentally and nutritionally regulated multigene family of storage proteins.
 In Proceedings of NATO/FEBS workshop on structure and function of plant genomes. pp 36-45.
- 6. Kreis, M., Shewry, P.R., Forde, B.G., Rahman, S., Bahramian, M.B. and Miflin, B.J. 1984. Molecular analysis of the effects of the lys 3a gene on the expression of Hor loci in developing endosperms of barley (*Hordeum vulgare* L.)

 Biochem. Genet. 22, 231-255.
- 7. Miflin, B.J., Forde, B.G., Kreis, M., Rahman, S., Forde, J., and Shewry P.R. Molecular biology of the grain storage proteins of *Triticeae*.1984. *Phil. Trans. R. Soc. B.* 304, 333-339.
- 8. Rahman, S., Kreis, M., Forde, B.G., Shewry, P.R. and Miflin, B.J.1984. Hordein expression during development of the barley (*Hordeum vulgare*) endosperm. *Biochem. J.* 223, 315-322.
- 9. Shewry, P.R., Forde, B.G., Kreis, M., Rahman, S. and Miflin, B.J. 1984. The structure and expression of barley storage protein genes. Kulturpflanze 32, 61-70
- 10. Kreis, M., Shewry, P.R., Forde, B.G., Rahman, S., and Miflin, B.J. 1985. Molecular evolution of the seed storage proteins of barley, rye and wheat. *J. Mol. Biol.* 183, 499-502.
- 11. Grzelczak, Z., Rahman, S., Kennedy, T.D. and Lane B.G. 1985.

Compartmentation of germin, its translatable mRNA and its biosynthesis among the roots, stems and leaves of wheat seedlings. *Can. J. Biochem.* 63, 317-327.

- 12. Rahman, S., Grzelczak, Z., Kennedy, T.D. and Lane B.G. 1988.

 Germin. Molecular cloning of cDNA that selects germin from bulk wheat mRNA.

 Biochem. Cell. Biol. (formerly Can. J. Biochem.). 66, 100-106.
- 13. Gomez, P.F. and Rahman, S. 1989.
 Inhibition of protein breakdown during germination of rice seedlings under saline conditions.

 The Dhaka University Studies, Part E, 4, 153-155.
- Dratewka-Kos, E., Rahman, S., Grzelczak, Z.F., Kennedy, T.D., Murray, R.K. and Lane B.G. 1989.
 Polypeptide structure of germin as deduced from cDNA sequencing.
 J. Biol. Chem. 264, 4896-5000.
- 15. Monsur, K.A., Begum, Y.A., Ahmed, Z.U. and Rahman, S. 1989. Evidence of multiple infections in cases of diarrhoea due to enterotoxigenic Escherichia coli.

 J. Infect. Dis 159,144-145.
- Jolly, C.J., Rahman, S., Kortt, A.A. and Higgins, T.J.V. 1993.
 Characterisation of the wheat Mr 15000 'grain softness protein' and analysis of the relationship between its accumulation in the whole seed and grain softness *Theoret. Appl. Genet.* 86: 589-597
- 17. Rahman, S., Jolly, C.J., Skerritt, J.H. and Walloschek, A. 1994.
 Cloning of a wheat 15-kDa grain softness protein (GSP): GSP is a mixture of puroindoline-like polypeptides

 Eur. J. Biochem. 223: 917-925
- 18. Morell, M.K., Rahman, S., Abrahams, S.L. and Appels, R. 1995. The biochemistry and molecular biology of starch synthesis in cereals *Aust. J. Plant Physiol.* 22: 647-660
- Rahman, S., Kosar-Hashemi, B., Samuel, M.S., Hill, A., Abbott, D.C., Skerritt, J.H., Preiss, J., Appels, R and Morrell, M.K. 1995.
 The major proteins of wheat endosperm starch granules
 Aust. J. of Plant Physiol. 22: 793-803
- Jolly, C.J., Glenn, G.M. and Rahman, S. 1996.
 GSP-1 genes are linked to the grain hardness locus (Ha) on wheat chromosome 5D Proc. Natl. Acad. Sci. USA. 93, 2408-2413.
- Rahman, S., Abrahams, S., Abbott, D., Mukai, Y., Samuel, M., Morell, M. and Appels, R.
 1997.
 A complex arrangement of genes at a starch branching enzyme I locus in the D-genome donor of wheat

Genome 40: 465-474

- 22. Graybosch, R.A., Peterson, C.J., Hansen, L.E., Rahman, S., Hill, A. and Skerritt, J.H. 1998. Identification and characterization of U.S. wheats carrying null alleles at the wx loci *Cereal Chemistry* 75: 162-165.
- 23. Rahman, S., Li, Z., Abrahams, S., Abbott, D., Appels, R. and Morell, M.K. Characterisation of a gene encoding wheat endosperm of starch branching enzyme-I. 1999. *Theoret Appl Genet* 98,156-163
- Li, Z., Rahman, S., Appels, R. and Morell, M. 1999.
 Cloning and characterization of a gene encoding wheat soluble starch synthase Theoret Appl Genet 98, 1208-1216.
- Li, Z., Chu, X., Mouille, G., Yan, L., Kosar-Hashemi, B., Hey, S., Napier, J., Shewry, P., Clarke, B., Appels, R., Morell, M. and Rahman, S. 1999.
 The localization, expression and role of the class II starch synthases of wheat *Plant Physiol.* 120, 1147-1156.
- Turner, M., Mukai, Y., Leroy, P., Charef, B., Appels, R. and Rahman, S. 1999.
 The Ha locus of wheat: identification of a polymorphic region for tracing grain hardness in crosses.
 Genome. 42, 1242-1250
- Turnbull, K.M., Gaborit, T., Marion, D. and Rahman, S. 2000
 The Ha locus of wheat: variation in puroindoline polypeptides in Australian cultivars.

 Aust. J. Plant. Physiol. 27 (2), 153-158
- 28. Rahman, S., Li, Z., Batey, I., Cochrane, M.P., Appels, R. and Morell, M. 2000. Genetic alteration of starch functionality in wheat.

 J. Cereal Sci. 31, 91-110
- 29. Yan, L., Bhave, M., Fairclough, R., Konik, C., Rahman, S. and Appels, R. 2000. The genes encoding granule-bound starch synthase (GBSS) from the A, B and D progenitors of common wheat *Genome*, 43(2), 264-272.
- 30. Li Z., Mouille G., Kosar-Hashemi B., Rahman S., Clarke B., Appels R. and Morell M.2000 The structure and expression of the wheat starch synthase III gene: motifs in the expressed gene define the lineage of the starch synthase III gene family. *Plant Physiology* 123, 613-624.
- 31. Konik-Rose, CM, Moss, R., Rahman, S. Appels, R., Stoddard, F, McMaster G. (2001). Evaluation of the 40 mg swelling test for measuring starch functionality.. *Starch-Starke*, 53, 14-20.
- 32. Fukui KN, Suzuki G., Lagudah E., Rahman S., Appels R., Yamamoto M., Mukai Y. (2001). Physical arrangement of retrotransposon-related repeats in centromeric regions of wheat.

- Plant Cell Physiol. 42 (2) 189-196.
- Rahman S., Regina A., Li Z., Mukai Y., Yamamoto M., Kosar-Hashemi B, Abrahams S, Morell M. (2001). Comparison of starch branching enzymes genes reveals evolutionary relationships among isoforms: characterisation of a gene for starch branching enzymes IIa from the wheat D genome donor *Aegilops tauschii*.

 Plant Physiol 125, 1314-1324.
- 34. Osborne, B, Turnbull K, Anderssen B, Rahman S, Appels, R (2001). The hardness locus in Australian wheat lines.

 Aust. J. Agric. Res. 52(12), 1275-1286.
- 35. Morell, M., Rahman S, Regina, A, Rudi Appels and Zhongyi Li (2001). Wheat starch biosynthesis. Euphytica 119: 55-58.
- 36. Turnbull, K-M, Rahman, S. (2002) Endosperm texture in wheat J. Cereal Science. 36, 327-337
- 37. Aoki, N., Whitfeld, P., Hoeren F., Scofield, G., Newell, K., Patrick, J., Offler, C., Clarke, B., Rahman, S., Furbank, R.T. Three sucrose transporter genes are expressed in the developing grain of hexaploid wheat. *Plant Molecular Biology* 50, 453-462
- 38. Turnbull, KM, Marion D, Gaborit T., Appels, R., Rahman S. (2002). Temporal expression of purodindolines and grain hardness in the developing wheat endosperm. *Planta* 216, 699-706
- 39. Turnbull, K-M, Turner M, Mukai, Y, Yamamoto, M, Morell, MK, Appels, R, Rahman, S. (2003) The organisation of genes tightly linked to the Ha locus in *Aegilops Tauschii*, the D genome donor to wheat . *Genome* 46, 330-338
- 40. Rahman, S, Nakamura, Y, Li, Z, Clarke, B, Fujita, N, Mukai, Y, Yamamoto, M, Regina, A, Tan, Z, Kawasaki, S, Morell, M. (2003) Genes for isoamylase in plants: characterization of the sugary type-gene from rice and *A.tauschii*. Genome 46, 496-506
- 41. Morell, M, Kosar-Hashemi, B, Samuel, M, Chandler, P, Rahman, S, Buelon, A, Batey, I, Li, Z. (2003) Identification of the molecular basis of mutations at the barley sex6 locus and their novel starch phenotype. *Plant Journal* 34, 172-184.
- 42. Suzuki, G, Moriyama, M, Fujioka, K, , Yamamoto, M, Subramanyam, NC, Li, Z, Appels, R, Morell, M, Mukai, Y, Rahman, S. (2003) The starch branching enzyme I locus from *Aegilops tauschii*, the donor of the D genome to wheat. Functional and Integrative Genomics 3, 69-75.
- 43. Li, Z., Sun, F, Xu, S, Chu, X, Mukai, Y, Yamamoto, M, Ali, S, Rampling, L, Kosar-Hashemi, B, Rahman, S, Morell, MK (2003). The structural organisation of the genes encoding class II starch synthase of wheat and barley and the evolution of the genes encoding starch synthases in plants. Functional and Integrative Genomics 3, 76-85.

44. Morell, M, Regina, A, Li, Z, Kosar-Hashemi, B, Rahman, S. (2003). Advances in the understanding of starch synthesis in wheat and barley. *J. Appl. Glycoscience* (in press).

UNREFEREED.

- 1. Shewry, P.R., Kreis, M., Rahman, S., Burgess, S.R., Tardini, L., Bradberry D., Franklin, J., Fry, R., and Miflin, B.J. 1984. The secalins of rye; chemistry, genetics, synthesis, deposition and molecular cloning. Kulturpflanzen
- Jolly, C.J., Rahman, S., and Higgins, T.J. 1990. A protein marker for softness in bread wheats. Proceedings of the 6th Wheat Breeding Society of Australia. (Tamworth. Eds. L.O'Brien, F.W. Ellison, R.A. Hare, and M.C. Mackay) pp 407-409.
- 3. Rahman, S., Jolly, C.J. and Higgins, T.J. 1991. The chemistry of wheat-grain hardness. *Chemistry in Australia* September: p.397.
- 4. Rahman, S., Jolly, C.J., Kortt, A.A., Walloscheck, A. and Higgins, T.J. (1991). Molecular characterisation of grain softness protein. In Cereals International. (Melbourne. Eds. D.Martin and C.W. Wrigley) pp 288-289.
- 5. Turner, M., Rahman, S., Sharp, P. and Appels, R. (1993). The grain softness protein I locus in Triticum tauschii. Proceedings of the 43rd Australian Cereal Chemistry Conference. (Sydney. Ed C.W. Wrigley) pp 330-331.
- 6. Rahman, S., Hogie, L., and Appels, R. (1993). Molecular analysis of starch synthesis in Triticum tauschii. Proceedings of the 43rd Australian Cereal Chemistry Conference. (Sydney. Ed C.W. Wrigley)Pp 332-333.
- 7. Rahman, S. 1994. Genetic manipulation of starch properties in wheat. *Chemistry in Australia* September: pp. 517-518.
- 8. Morell, M.K., Kosar-Hashemi, B., Rahman, S., Abrahams, S.L., Abbott, D.C. and Appels, R., (1995). Starch branching enzymes in developing wheat endosperm. Proceedings of the 45th Australian Cereal Chemistry Conference. (Eds Williams, Y.A. and Wrigley C.W.) pp 135-139.
- 9. Rahman S., Kosar-Hashemi, B., Samuel, M.S., Abbott, D.C., Hill, A., Skerritt, J.H., Appels, R., and Morell, M. (1995). The major proteins of wheat starch granules. Proceedings of the 45th Australian Cereal Chemistry Conference. (Eds Williams Y.A. and Wrigley, C.W.) pp 133-134.
- Morell, M., Appels, R., Rahman, S., Abrahams, S., Kosar-Hashemi, B., O'Shea, M., Samuel, M., Li, Z., Tamas, L., Bekes, F. 1996. Report to Industry No 1 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 11. Batey I, Curtin B, Abbott D & Rahman S. 1996. Starch granule size distribution of Chinese Spring chromosome deletion lines. In: Cereals '96, C.W. Wrigley(ed), Proceedings 46th Australian Cereal Chemistry Conference (Sydney:September 1-6, 1996) pp. 228-230.
- 12. Rahman S, Abrahams S, Abbott D, Mukai Y, Samuel M, Morell M & Appels R. 1996. A complex arrangement of genes at a starch branching enzyme-I locus in the D-genomedonor

- of wheat. In: Cereals '96, C.W. Wrigley(ed), Proceedings 46th Australian Cereal Chemistry Conference (Sydney:September 1-6, 1996) pp 231-233.
- 13. Konik C., Rahman S, Abbott D. and Appels R. 1996. Restriction enzyme mapping of thegranule bound starch synthase gene. pp 234-236. In: Cereals '96, C.W. Wrigley(ed), Proceedings 46th Australian Cereal Chemistry Conference (Sydney:September 1-6, 1996) pp 267-269.
- 14. Morell, M., Appels, R., Rahman, S., Abrahams, S., Kosar-Hashemi, B., O'Shea, M., Samuel, M., Li, Z., Tamas, L., Bekes, F. 1996. Report to Industry No 2 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- Morell, M., Appels, R., Rahman, S., Abrahams, S., Kosar-Hashemi, B., O'Shea, M., Samuel, M., Li, Z., Tamas, L., Bekes, F. 1996. Report to Industry No 3 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 16. Li, Z., Brettel R., Rahman, S., Murray, F., Abbott, D.C., Appels, R. and Morell, M.K.1997. Advances in wheat genetic engineering—increased transformation efficiencies and the first field release. Proceedings of the 47th Australian Cereal Chemistry Conference. (Ed A.W. Tarr, A.S. Ross and C.W.Wrigley). pp 22-26.
- 17. Rahman, S., Li, Z., Mukai, Y., Abrahams, S., Abbott, D.C., Morell, M.K. and Appels, R.1997. Structure of starch branching enzyme genes from T.tauschii. Proceedings of the 47th Cereal Chemistry Conference. (Ed A.W. Tarr, A.S. Ross and C.W.Wrigley).pp 360-364.
- 18. Morell, M., Appels, R., Rahman, S., Abrahams, S., Kosar-Hashemi, B., O'Shea, M., Samuel, M., Tamas, L., Tamas, C., Bekes, F. 1997. Report to Industry No 4 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 19. Morell, M., Appels, R., Rahman, S., Abrahams, S., Kosar-Hashemi, B., O'Shea, M., Samuel, M., Li, Z., Tamas, L., Tamas, C., Bekes, F. 1998. Report to Industry No 5 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 20. Rahman S, Li Z., Mukai Y., Abbott D., Abrahams S., Kosar-Hashemi B., Samuels M., Appels R. and Morell M. Structure of branching enzyme genes in wheat. Proc. 4th Asia-Pacific Conference on Agricultural Biotechnology, Darwin. 1998. Pp 388-390.
- 21. Morell, M., Appels, R., Rahman, S., Li, Z., Kosar-Hashemi, B., Samuel, M., Tamas, L., Tamas, C., Bekes, F. 1998. Report to Industry No 6 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 22. Clarke B.C., TaylorB., Morell, M., Li Z., Rahman S., Ali S. and Appels R. 1998. Gene expression in wheat: The quality genes in grain endosperm. Proc. 9th International Wheat Genetics Symposium. Ed A.E. Slinkard. University of Saskatchewan Press. Pp 65-80.
- 23. Mukai Y., Rahman S., Yamamoto M., Okamoto M., Turner M., Li Z., Morell M. and Appels R. 1998. Physical mapping of genes controlling wheat grain quality by fluorescence in situ hybridisation. Proc. 9th International Wheat Genetics Symposium. Ed A.E. Slinkard.

- University of Saskatchewan Press. Pp 218-221.Li, Z., Rahman, S., Appels, R. and Morell, M.K. (1998). Cloning and characterisation of a gene encoding wheat soluble starch synthase I. Proceedings of the 48th Australian Cereal Chemistry Conference (Cairns. Ed L. O'Brien, A.B. Blakeney, A.S. Ross, C.W. Wrigley)Pp 30-34.
- 24. Rahman, S. Li, Z., Mouille, G., Mukai, Y., Appels, R., Morell, M.K. (1998). The structure of genes involved in starch biosynthesis in wheat. Proceedings of the 9th NIAR/COE International Symposium, Tokyo. Pp 1-2.
- 25. Morell, M., Appels, R., Rahman, S., Li, Z., Kosar-Hashemi, B., Samuel, M., Tamas, L., Tamas, C., Bekes, F. 1998. Report to Industry No 7 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 26. Morell, M., Appels, R., Bekes, F., Li, Z., Karunasekara, Y., Kosar-Hashemi, B., Mouille, G., Patil, R., Preston, L., Rahman, S., Solomon, R., Stiller, D., Xu, S. 1999. Report to Industry No 8 (Groupe Limagrain, Goodman-Fiedler). Fundamentals of Wheat Starch and Protein Research Agreement.
- 27. Li, Z., Chu, X., Mouille, G., Yan, L., Kosar-Hashemi, B., Clarke, B.C., Appels, R., Morell, M.K. and Rahman, S. (1999). Starch synthases and their genes from wheat. Proceedings of the 49th Australian Cereal Chemistry Conference (Melbourne, Eds J.F. Panozzo, M. Ratcliffe, M.Wootton and C.W.Wrigley) Pp 114-116.
- 28. Turnbull, K.M., Moullet, O., Appels, R., Morell, M. and Rahman, S. (1999). Cloning and characterisation of genes from the hardness locus of wheat. Proceedings of the 49th Australian Cereal Chemistry Conference. (Melbourne, Eds J.F. Panozzo, M. Ratcliffe, M.Wootton and C.W.Wrigley). Pp 325-328.
- 29. Morell, M., Appels, R., Rahman, S., Li, Z., Bekes, F., Solomon, R., Ahmed, R. 2000. Report to Industry. (Biogemma, Goodman-Fielder) No 1. Wheat Starch and Protein Research Program.
- 30. Morell, M., Rahman, S., Li, Z., Ahmed, R., Kosar-Hashemi, B., Bekes, F., Appels, R., Solomon, R., Konik, C. Report to Industry (Biogemma, Goodman-Fielder) 2000. No2. Wheat Starch and Protein Research Program.